


Prestige EnviroMicrobiology, Inc.



Analytical Test Report

Client: Garden State Environmental, 555 South Broad Street, Suite K, Glen Rock, NJ 07452

Client Project/Name: Liberty Middle School

Sample date: 8-30-2018

Submittal date: 8-31-2018

Samples submitted by: TE


Date analysis completed: September 14, 2018; amended September 18, 2018

Prestige report number: 180831-07A

Culture Method (P031): Analysis of Water Samples for *Legionella* bacteria

Prestige # Client sample ID Location	<i>Legionella</i> Identification	Conc. (CFU/mL)	Percentage
180831-07-077 LMS-0-WM-01* Sprinkler Room Outside Access	Not detected	ND	NA
180831-07-078 LMS-1-S-01 Art Room (Middle)	Not detected	ND	NA
180831-07-079 LMS-1-S-02 Nurse (Closest to RR)	Not detected	ND	NA
180831-07-080 LMS-1-S-03 Boys RR by Main (Left Sink, left)	Not detected	ND	NA
180831-07-081 LMS-1-S-04 Home EC (Sink 4)	Not detected	ND	NA
180831-07-082 LMS-1-S-05* Science Prep	Not detected	ND	NA
180831-07-083 LMS-1-HWH-01* Door 7 Outside Access	Not detected	ND	NA
180831-07-084 LMS-1-SH-01 Girls LR – (Middle)	Not detected	ND	NA
180831-07-085 LMS-1-SH-02 Girls PE Office	Not detected	ND	NA
180831-07-086 LMS-1-SH-03 Boys LR (Middle)	Not detected	ND	NA
180831-07-087 LMS-1-SH-04 Boys PE Office	Not detected	ND	NA

Prestige EnviroMicrobiology, Inc.




180831-07-088 LMS-1-S-06 Faculty Room	Not detected	ND	NA
180831-07-089 LMS-2-S-07 Science Prep	Not detected	ND	NA
180831-07-090 LMS-2-S-08 Girls RR (Right Sink, left)	Not detected	ND	NA
180831-07-091 LMS-2-S-09 Boys RR (Left Sink, left)	Not detected	ND	NA
180831-07-092 LMS-2-S-10 Faculty RR (Left of Science Rooms)	Not detected	ND	NA
180831-07-093 LMS-2-S-11 Science Room 209 (Teacher's)	Not detected	ND	NA
180831-07-094 LMS-2-S-12 Faculty RR (Right of Science Rooms)	Not detected	ND	NA

* Sample # LMS-0-WM-01, LMS-1-S-05 and LMS-1-HWH-01 were reprocessed due to bacteria overgrowth.

Report approved: _____


Theresa Lehman, MPH, Lab Director

Technical Manager: _____


Chin S Yang, Ph.D.

Analyst: Theresa Lehman, MPH / Ching-Yi Tsai, Ph.D.

1. The samples in this report were received in good, acceptable conditions. Prestige EnviroMicrobiology has not performed sample collection for the sample items listed in this report. Results relate only to the items tested.
2. Percentage is for each species or serotype of *Legionella* in total population.
3. Concentrations and percentages are rounded to the nearest two significant digits. Total percentage may not add up to 100% due to rounding.
4. Sample analysis is based on the "Procedures for the Recovery of *Legionella* from the Environment" published by the Centers for Disease Control and Prevention in 2005.
5. SG = Serogroup; NA = not applicable; ND = not detected.
6. For technical information on result interpretation, please visit www.Prestige-EM.com.
7. Report amended to recalculate concentrations in "CFU/mL" from "CFU/L".