


# Prestige EnviroMicrobiology, Inc.



## Analytical Test Report

Client: Garden State Environmental, 555 South Broad Street, Suite K, Glen Rock, NJ 07452

Client Project/Name: Roosevelt Middle School

Sample date: 8-30-2018

Submittal date: 8-31-2018

Samples submitted by: TE


Date analysis completed: September 14, 2018; amended September 18, 2018

Prestige report number: 180831-08A

### Culture Method (P031): Analysis of Water Samples for *Legionella* bacteria

Prestige # Client sample ID Location	<i>Legionella</i> Identification	Conc. (CFU/mL)	Percentage
180831-08-095 RMS-B-HWH-01 Boiler Room	<i>Legionella pneumophila</i> SG-4	>53.0	100%
180831-08-096 RMS-B-HWH-02 Boiler Room	Not detected	ND	NA
180831-08-097 RMS-B-WM-01 Basement	Not detected	ND	NA
180831-08-098 RMS-1-SH-01 Boys LR (Middle Left)	<i>Legionella pneumophila</i> SG-1	2.7	100%
180831-08-099 RMS-1-SH-02 Girls LR (Right)	Not detected	ND	NA
180831-08-100 RMS-1-SH-03 Girls LR in Coaches office	<i>Legionella pneumophila</i> SG-1	2.1	100%
180831-08-101 RMS-1-SH-04* Boys LR in Coaches Office	<i>Legionella pneumophila</i> **	4.4	100%
180831-08-102 RMS-1-S-01 Room 100	<i>Legionella pneumophila</i> **	>42.0	100%
180831-08-103 RMS-2-S-02 Boys RR (Old Side Left)	<i>Legionella pneumophila</i> **	0.2	100%
180831-08-104 RMS-2-S-03 Girls RR (Old Side Left)	<i>Legionella pneumophila</i> **	>42.0	100%
180831-08-105 RMS-3-S-04 Room 300 (Sink 3) (Cold)	<i>Legionella pneumophila</i> **	5.0	100%

# Prestige EnviroMicrobiology, Inc.



180831-08-106 RMS-3-S-05* Room 312 (Beige Basin)	<i>Legionella pneumophila</i> SG-1	2.0	100%
180831-08-107 RMS-3-S-06 Kitchen Sink #3	<i>Legionella pneumophila</i> SG-1	>42.0	100%

\* Sample # RMS-1-SH-04 and RMS-3-S-05 were reprocessed due to bacteria overgrowth.

\*\* The isolates were positive for *Legionella pneumophila*, but negative for Serogroups 1-6.

Report approved: Theresa Lehman  
Theresa Lehman, MPH, Lab Director

Technical Manager: Chin S Yang  
Chin S Yang, Ph.D.

Analyst: Theresa Lehman, MPH / Ching-Yi Tsai, Ph.D.

1. The samples in this report were received in good, acceptable conditions. Prestige EnviroMicrobiology has not performed sample collection for the sample items listed in this report. Results relate only to the items tested.
2. Percentage is for each species or serotype of *Legionella* in total population.
3. Concentrations and percentages are rounded to the nearest two significant digits. Total percentage may not add up to 100% due to rounding.
4. Sample analysis is based on the "Procedures for the Recovery of *Legionella* from the Environment" published by the Centers for Disease Control and Prevention in 2005.
5. SG = Serogroup; NA = not applicable; ND = not detected.
6. For technical information on result interpretation, please visit [www.Prestige-EM.com](http://www.Prestige-EM.com).
7. Report amended to recalculate concentrations in "CFU/mL" from "CFU/L".